

Appliance Standards Awareness Project

2024 State Appliance Standards Recommendations

Savings estimates for: [New York](#)

	Potential annual savings in 2030						Potential annual savings in 2040					
	Electricity (GWh)	Natural gas (BBtu)	Water (million gallons)	NO _x (tons)	SO ₂ (tons)	CO ₂ (thous. MT)	Electricity (GWh)	Natural gas (BBtu)	Water (million gallons)	NO _x (tons)	SO ₂ (tons)	CO ₂ (thous. MT)
Commercial battery chargers	4.7	--	--	0.5	0.03	1.6	12.6	--	--	0.6	0.1	1.6
Irrigation controllers	--	--	3,518	--	--	--	--	--	10,846	--	--	--
Total	5	--	3,518	1	0.03	2	13	--	10,846	1	0.1	2

Assuming a compliance date of 2026 for all the recommended standards.

	Potential annual utility bill savings (million 2022\$)		Net present value savings (million 2022\$)	Payback period (years)
	In 2030	In 2040		
Commercial battery chargers	0.6	1.8	13.7	1.8
Irrigation controllers	57.0	202.9	2,046.2	0.7
Total	58	205	2,060	--

Assuming a compliance date of 2026 for all the recommended standards. Net present value savings take into account both utility bill savings and estimated impacts on product costs for items sold between 2026 and 2050.

Cumulative savings estimates for: [New York](#)

Potential cumulative savings through 2050							
	Electricity (GWh)	Natural gas (TBtu)	Water (billion gallons)	NO _x (tons)	SO ₂ (tons)	CO ₂ (thous. MT)	Utility bill savings (million 2022\$)
Commercial battery chargers	239	--	--	15.1	1.3	41.7	33.8
Irrigation controllers	--	--	197.1	--	--	--	3,744.5
Total	239	--	197	15	1	42	3,778

Assuming a compliance date of 2026 for all the recommended standards.